UNCLASSIFIED

AD NUMBER ADB029003 LIMITATION CHANGES TO: Approved for public release; distribution is unlimited. FROM: Distribution authorized to U.S. Gov't. agencies only; Test and Evaluation; MAY 1978. Other requests shall be referred to Air Force Rome Air Development Center, RBTC, Griffiss AFB, NY 13441. **AUTHORITY** RADC, USAF ltr, 8 Nov 1982

ADB029003

AUTHORITY: PADC, USAF



THIS REPORT HAS BEEN DELIMITED AND CLEARED FOR PUBLIC RELEASE UNDER DOD DIRECTIVE 5200.20 AND NO RESTRICTIONS ARE IMPOSED UPOINTS USE AND DISCLOSURE.

DISTRIBUTION STATEMENT A

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.

RADC-TR-78-111 In-House Report May 1978



RADC TEST CHAMBER CARBON FIBER VELOCITY MEASUREMENTS

Mr. John S. DeRosa

Distribution limited to U.S. Government agencies only; test and evaluation; May 1978. Other requests for this document must be referred to RADC: (RBTC), Griffiss AFB NY 13441.



ROME AIR DEVELOPMENT CENTER
Air Force Systems Command
Griffiss Air Force Buse, New York 13441

78 08 07 106

INC FILE

RADC-TR-78-111 has been reviewed and is approved for publication.

APPROVED:

Robert W. McGREGOR

Chief, Test and Evaluation Branch Reliability and Compatibility Division

APPROVED:

JOSEPH J. NARESKY

Chief, Reliability and Compatibility Division

FOR THE COMMANDER:

JOHN P. HUSS

Acting Chief, Plans Office

If your address has changed or if you wish to be removed from the RADC mailing list, or if the addressee is no longer employed by your organization, please notify RADC (RBTC) Griffiss AFB NY 13441. This will assist us in maintaining a current mailing list.

Do not return this copy. Retain or destroy.

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE (When Dote Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS		
1. REPORT NUMBER		3. RECIPIENT'S CATALOG NUMBER		
PADC 779 79 111				
RADC-TR-78-111 4. TITLE (and Subtitle)	<u> </u>	5. TYPE OF REPORT & PERIOD COVERED		
, , , , , , , , , , , , , , , , , , , ,		In-House Report		
RADC TEST CHAMBER CARBON FIBER VELO	CITY MEASUREMENT	<u> </u>		
,		6. PERFORMING ORG. REPORT NUMBER		
		N/A		
7. AUTHOR(*)		8. CONTRACT OR GRANT NUMBER(*)		
Mr. John S. DeRosa		N/A		
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS		
Rome Air Development Center (RBTC)		R205HAVE		
Griffiss AFB NY 13441 11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE		
		May 1978		
Rome Air Development Center (RBTC)		13. NUMBER OF PAGES		
Griffiss AFB NY 13441	. (C	8 15. SECURITY CLASS. (of this report)		
MONITORING AGENCY NAME & ACORESSIS BITTER	t from Controlling Office)	is. Seconti i Censs. (or this report)		
Rome Air Development Center (RB)		UNCLASSIFIED		
Griffiss AFR NY 13441		1Se. OECLASSIFICATION OWNGRADING		
		N/A		
16. DISTRIBUTION STATEMENT (of this Report)				
Distribution limited to U.S. Govern				
May 1978. Other requests for this document must be referred to RADC (RBTC),				
Griffiss AFB NY 13441.				
17. DISTRIBUTION STATEMENT (of the abstract entered	in Block 20, Il dillerent fra	m Report)		
_				
Same				
		DDC		
18. SUPPLEMENTARY NOTES				
None		الالترتيحيينيوال		
		U) SEP 26 1978		
		10) 251 20 1310		
19. KEY WOROS (Continue on reverse elde if necessary an	id Identify by block number			
Carbon Fibers (CF)		, 111766711 1 76		
Velocity Measurement		В		
Air Currents				
Video				
20. ABSTRACT (Continue on reverse elde il necassary and	d identify by block number)			
This report describes a video recording technique developed for measuring the				
fall velocity of Carbon Fiber within the RADC test chamber and documents the				
velocity measurements obtained for two (2) specific types of carbon fiber				
materials.				

DD 1 JAN 73 1473 EDITION OF 1 NOV 65 15 OBSOLETE

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

18 US 04 106

PREFACE

This report was prepared by the Test Control Section, Reliability and Compatibility Division of the Rome Air Development Center. The author, John S. DeRosa, was assigned the task of determining the fall velocity of carbon fibers in the RADC test chamber for Project R205HAVE. He wishes to acknowledge the excellent support from John Hrim and Milton Thompson of the Test Environment Section (RADC/RBTV) during the data collection and data reduction phase.

ACCESSION fo	or
NTIS	White Section 🗆
DDC	Buff Section
UNANNOUNCE	0 🗆
JUSTIFICATION	H
BY DISTRIBUTION	/AVAILABILITY CODES
Dist. AVAI	L. and or SPECIAL
B	

I. OBJECTIVE

To determine the average fall velocity of two (2) specific types of carbon fibers (CF) of 3, 6 and 9 mm nominal length in the test environment at the RADC test chamber.

II. TEST PROCEDURE

A. General

It is possible to view scintillations from the falling carbon fibers with the naked eye if the fibers are back lighted with a collimated light beam in the darkened test chamber. This effect is due to the off axis forward scattering of the light caused by the presence of the CF in the beam. Most CF can be seen if the observer (or instrument) is positioned looking toward the light source at an angle of less than ten (10) degrees from the beam axis.

B. Method (See Figure 1)

1. Collimated Light Beam

A collimated light beam was generated inside the chamber by cutting a 3.8 cm aperture in the rear chamber wall. Clear acetate was used to cover the aperture to prevent release of CF. The outside rear wall was then flooded with light from a 150 watt spotlight at a distance of 12 feet. This spotlamp was positioned so that the interior beam, formed by the aperture, traversed the center of the chamber with an upward tilt of seven (7) degrees and exited the chamber through the observation window in the front chamber wall.


This beam allows observers, positioned at the window, to view the CF falling through the beam, and also permits video recording for quantitative velocity analysis.

2. Pre-Test Requirements

Prior to any velocity measurements, tests involving careful adjustment of CF dispenser airflow and deflector plates were run. These tests were run to insure that movement of CF caused by air currents (turbulence) was below observable levels.

3. Video Recording Technique

A video camera (Camera # 1 in Figure # 1) was placed inside the chamber and covered with clear plastic to preclude CF penetration. It was positioned, facing the rear chamber wall, with its optical axis



parallel to the chamber floor. The camera was then focused on a piece of translucent graph paper suspended in the light beam at a point directly over the center of the chamber floor (see Photos 1 and 2).

a. Distance Calibration

The camera zoom lens was adjusted so that the circular area of the graph paper. illuminated by the light beam, filled the screen vertically on a 12" video monitor placed outside the chamber. The 1 cm vertical and horizontal divisions, as they appear on the video monitor, were permanently transferred to the monitor screen with a black marker (see Photos 3 and 4). The graph paper was then removed from the chamber.

Fibers falling through the beam at or near the plane previously occupied by the graph paper (the focal plane) appear as white fiber images against a black background on the monitor screen. The divisions marked on the screen represent actual 1 cm distance calibration in this plane. The lens aperture is set fully open at fl.8. This provides a narrow depth of field and insures that any fibers seen in focus on the monitor are at a point close to this focal plane.

b. Time Calibration

A second video camera was focused on a six (6) digit digital frame counter display. This counter was designed to increment by one at the start of every vertical scan of the video system. This scanning occurs at a precise 60 Hertz rate (the field rate, 2 fields equal 1 frame) generated by a 31.5 KHz master oscillator and a digital countdown chain. Every increment of the counter display, therefore, corresponds to 16.7 milliseconds in real time.


The video signals from the two (2) cameras were fed to a split screening device. Using this device the clock image (camera 2) was inserted into the upper right hand corner of the camera # 1 picture.


c. Video Recording

The composite video output from the split screening device was then fed to a 1/2" video tape recorder equipped with slow and stop motion playback controls (Panasonic Model NV3020SD).


III. DATA ACQUISITION


The CF chamber dispensers were loaded to dispense a high concentration of CF in the chamber. The high concentration increases the number of particles falling in the focal plane area of camera # 1.





PHOTOS 1 & 2 - TEST CHAMBER DISTANCE CALIBRATION SET-UP





PHOTOS 3 & 4 - VIDEO MONITOR SCREEN WITH DISTANCE CALIBRATION GRID

The dispensers were allowed to operate approximately three (3) minutes before the video field counter and video recorder were started. This allowed time for the CF concentration buildup.

Two (2) CF materials were tested; Celanese Type GY-70 and Union Carbide Type TP-4104B. Each material was tested at nominal fiber lengths of three (3), six (6) and nine (9) millimeters.

Approximately fifteen (15) minutes of video tape data was collected for each of the six (6) tests.

IV. DATA REDUCTION

The video tape data, collected by the recording system, was played back and visually analyzed. Only data from fiber images judged to be in proper focus was reduced. Data reduction consisted of determining the distance traveled by the fiber, and the length of time required to travel this distance. Utilizing the still frame control on the video recorder, instantaneous position and frame number was visable on the video monitor. This information was obtained by positioning a fiber image so that it was aligned with a horizontal calibration line in the upper portion of the video display. (See Photo 5). At this point, the initial position (P1) and video field number (F1) were annotated. The video tape was then advanced until the same fiber image was positioned on a lower horizontal line and the new position (P2) and field number (F2) were noted. (See Photo 6).

This procedure was repeated for each data point analyzed.


V. DATA ANALYSIS


Thirty-one (31) data points were randomly selected and analyzed for each test. Fiber velocity was calculated using the formula:

Velocity (V) =
$$\frac{D}{T}$$
 (cm/sec)

where: Distance (D) = P2 - P1 (cm)
Time (T) =
$$(F2 - F1).0167$$
 (sec)

Statistical Mean and Standard Deviation was calculated from the thirty-one (31) data points for each test.





PHOTOS 5 & 6 - A CF IMAGE POSITIONED NEAR TWO DIFFERENT CALIBRATION LINES. (THE IMAGES ARE DISPLACED FROM THE CALIBRATION LINES FOR CLARITY)

VI. RESULTS

Material: Celanese GY-70

LENGTH (nom)	AVERAGE VELOCITY (cm/sec)	STANDARD DEVIATION
3	2.99	0.53
6	3.22	0.60
9	2.78	0.48

Material: Union Carbide TP-4104

LENGTH (mm)	AVERAGE VELOCITY (cm/sec)	STANDARD DEVIATION
3	7.99	0.90
6	7.89	0.86
9	7.70	1.23

VII. DISCUSSION

The velocities obtained in these tests are representative of the actual velocities existing in the RADC test chamber environment. The effects of air currents on CF movement have been minimized, but they have not necessarily been eliminated. For this reason, the velocities obtained may not correspond exactly to the static free fall velocity under ideal conditions.

Since horizontal movement of CF was minimal, only vertical displacement was used in calculation of velocity. Therefore, the direction of the velocity vectors determined in these tests is, by definition, vertically downward.

These tests indicate that there is no significant change in velocity as a function of fiber length. Some small length dependence may be masked by the normal variability in the data.

The velocity measurement instrumentation used in these tests has provided, for the first time, a means of observing the aerodynamic behavior of the fibers under dynamic test conditions. This has given RADC the added capability of testing under conditions ranging from free fall to turbulence, while observing the effects of aerodynamics on equipment vulnerability and fiber detection systems.

MISSION of Rome Air Development Center

ANONANANANANANANANANANA

RADC plans and conducts research, exploratory and advanced development programs in command, control, and communications (C^3) activities, and in the C^3 areas of information sciences and intelligence. The principal technical mission areas are communications, electromagnetic guidance and control, surveillance of ground and aerospace objects, intelligence data collection and handling, information system technology, ionospheric propagation, solid state sciences, microwave physics and electronic reliability, maintainability and compatibility.



